

1/26




Fig. 1

2/26




Fig. 2

3/26




Fig. 3

4/26




Fig. 4

5/26





Fig. 5

6/26


Fig. 6  
growth curve of stem cells prepared from material from liposuction without erythrocyte removal cultured on DMEM and M199.






7/26

Fig. 7  
Time lapse change of stem cells from liposuction material without blood cells in DMEM medium.



8/26


Fig. 8  
Time lapse change of stem cells from stem cells from liposuction material without blood cells in DMEM medium.





9/26

Fig. 9  
Time lapse change of stem cells from liposuction  
material without blood cells in M199 medium.




Day 6	Day 8
Day 10	Day 12

magnitude x10

10/26

Fig. 10  
Time lapse change of stem cells from liposuction  
material without blood cells in M199 medium.



Day 3	Day 5
Day 7	Day 9
magnitude x10	


11/26



Fig. 11


12/26

Fig. 12



13/26

Fig. 13






14/26

Fig. 14



15/26

Fig. 15




16/26

Fig. 16




17/26

Fig. 17



18/26


Fig. 18





19/26

Fig. 19



20/26

Fig. 20




Fig. 21



22/26

Fig. 22



Fig. 23







Fig. 24



Fig. 25



26/26

Fig. 26

